



SIS  MEDICAL
Swiss | Interventional | Systems

EasyT[®]

THE NEW HIGH
PERFORMANCE PTCA
DILATATION CATHETER



SIS  MEDICAL
Swiss | Interventional | Systems

Hungerbuelstrasse 12a | CH-8500 Frauenfeld
Tel. +41 (0)52 245 09 90 | Fax +41 (0)52 245 09 91
info@sis-medical.com | www.sis-medical.com

Copyright © by SIS Medical AG
Currently not available for sale in USA.
Subject to alteration due to technical advances.
All rights reserved.
All products are developed and produced by
SIS Medical AG.

LA001772-001
30.04.2018



Making your daily work easier

EasyT[®]


THE HIGH PERFORMANCE PTCA BALLOONS

Combining excellent trackability and safety

- Superior trackability achieved by new shaft technology
- Excellent lesion crossing profile
- High Rated Burst Pressure (RBP): 21 atm
- Hydrophilic coating from 1.5 – 2.5 mm Ø
- Non compliant

SCOPE:

- For excellent lesion preparation, even in most complex lesions
- Postdilatation of stents with the pressure you need
- The balloon of choice for tortuous vessel anatomy



- a) Flexible tapered tip
- b) Lesion entry profile: 0.016"
- c) High pressure resistant thin wall balloon construction
- d) Lesion crossing profile: 0.022" (for EasyT[®] 1.5)
- e) Flexible distal shaft
- f) New hub design providing improved handling and easy identification of balloon type, diameter and length

"MEETING YOUR DAILY NEEDS AND REDUCING YOUR STOCK BY PROVIDING ONE BALLOON FOR PRE- AND POST-DILATION!"



Ordering Information
EasyT[®] High Performance PTCA Balloons (RX)

Article Number	Balloon Diameter	Length	RBP	Min Guiding
150 - 006 - 134	1.5 mm	6 mm	21 atm	5F
150 - 010 - 134	1.5 mm	10 mm	21 atm	5F
150 - 015 - 134	1.5 mm	15 mm	21 atm	5F
150 - 020 - 134	1.5 mm	20 mm	21 atm	5F

Article Number	Balloon Diameter	Length	RBP	Min Guiding
200 - 006 - 134	2.0 mm	6 mm	21 atm	5F
200 - 010 - 134	2.0 mm	10 mm	21 atm	5F
200 - 015 - 134	2.0 mm	15 mm	21 atm	5F
200 - 020 - 134	2.0 mm	20 mm	21 atm	5F
200 - 025 - 134	2.0 mm	25 mm	21 atm	5F
200 - 030 - 134	2.0 mm	30 mm	21 atm	5F
250 - 006 - 134	2.5 mm	6 mm	21 atm	5F
250 - 010 - 134	2.5 mm	10 mm	21 atm	5F
250 - 015 - 134	2.5 mm	15 mm	21 atm	5F
250 - 020 - 134	2.5 mm	20 mm	21 atm	5F
250 - 025 - 134	2.5 mm	25 mm	21 atm	5F
250 - 030 - 134	2.5 mm	30 mm	21 atm	5F

Article Number	Balloon Diameter	Length	RBP	Min Guiding
300 - 006 - 134	3.0 mm	6 mm	21 atm	5F
300 - 010 - 134	3.0 mm	10 mm	21 atm	5F
300 - 015 - 134	3.0 mm	15 mm	21 atm	5F
300 - 020 - 134	3.0 mm	20 mm	21 atm	5F
300 - 025 - 134	3.0 mm	25 mm	21 atm	5F
300 - 030 - 134	3.0 mm	30 mm	21 atm	5F
350 - 006 - 134	3.5 mm	6 mm	21 atm	5F
350 - 010 - 134	3.5 mm	10 mm	21 atm	5F
350 - 015 - 134	3.5 mm	15 mm	21 atm	5F
350 - 020 - 134	3.5 mm	20 mm	21 atm	5F
350 - 025 - 134	3.5 mm	25 mm	21 atm	5F
350 - 030 - 134	3.5 mm	30 mm	21 atm	5F

Article Number	Balloon Diameter	Length	RBP	Min Guiding
400 - 006 - 134	4.0 mm	6 mm	21 atm	5F
400 - 010 - 134	4.0 mm	10 mm	21 atm	5F
400 - 015 - 134	4.0 mm	15 mm	21 atm	5F
400 - 020 - 134	4.0 mm	20 mm	21 atm	5F
400 - 025 - 134	4.0 mm	25 mm	21 atm	5F
400 - 030 - 134	4.0 mm	30 mm	21 atm	5F
450 - 006 - 134	4.5 mm	6 mm	21 atm	5F
450 - 010 - 134	4.5 mm	10 mm	21 atm	5F
450 - 015 - 134	4.5 mm	15 mm	21 atm	5F
450 - 020 - 134	4.5 mm	20 mm	21 atm	5F
450 - 025 - 134	4.5 mm	25 mm	21 atm	5F
450 - 030 - 134	4.5 mm	30 mm	21 atm	5F